

AMENDMENTS TO THE CLAIMS


The following list of claims will replace all prior versions or listings of the claims in this application.

1. (Currently Amended) A cosmetic product comprising at least two compositions wherein:

- a first composition comprises a liquid fatty phase and polymer particles dispersed in the liquid fatty phase, and

- a second composition comprises at least one high molecular weight polymer having a weight-average molecular mass of greater than or equal to 200,000 g/mol,

wherein the at least one high molecular weight polymer is chosen from silicone polymers of formula (IV):



(IV)

wherein:

R₁, R₂, R₃, R₄, R₅ and R₆, which may be identical or different, are each chosen from alkyl radicals having from 1 to 6 carbon atoms,

X is chosen from alkyl radicals having from 1 to 6 carbon atoms, a hydroxyl radical, vinyl radicals, allyl radicals, and alkoxy radicals having from 1 to 6 carbon atoms,

n and p are chosen such that the at least one high molecular weight polymer has a weight-average molecular mass of greater than or equal to 200,000 g/mol.

2. (Cancelled)
3. (Original) The cosmetic product according to Claim 1, wherein the at least one high molecular weight polymer has a weight-average molecular mass ranging from 200,000 g/mol to 4,000,000 g/mol.
4. (Original) The cosmetic product according to Claim 3, wherein the at least one high molecular weight polymer has a weight-average molecular mass ranging from 200,000 g/mol to 2,500,000 g/mol.
5. (Original) The cosmetic product according to Claim 4, wherein the at least one high molecular weight polymer has a weight-average molecular mass ranging from 200,000 g/mol to 2,000,000 g/mol.
6. (Cancelled)
7. (Cancelled)
8. (Currently Amended) The cosmetic product according to Claim [[7]]1, wherein the at least one high molecular weight polymer is a dimethiconol of formula (IV) wherein R_1 to R_6 are all methyl groups, X is a hydroxyl group, $p = 0$ and n ranges from 2,000 to 40,000.
9. (Original) The cosmetic product according to Claim 8, wherein n ranges from 3,000 to 30,000.
10. (Original) The cosmetic product according to Claim 8, wherein the at least one high molecular weight polymer has a weight-average molecular mass ranging from 1,500,000 to 2,000,000 g/mol.
11. (Original) The cosmetic product according to Claim 1, wherein the at least one high molecular weight polymer has a viscosity ranging from 1,000 to

10,000,000 cSt, measured in accordance with standard ASTM D-445.

12. (Currently Amended) The cosmetic product according to Claim [[2]]1, wherein the at least one high molecular weight silicone polymer is introduced into the second composition in the form of a mixture with at least one liquid silicone compound, wherein the viscosity of the at least one liquid silicone compound ranges from 0.5 to 10,000 cSt, measured in accordance with standard ASTM D-445.

13. (Original) The cosmetic product according to Claim 12, wherein the viscosity of the at least one liquid silicone compound ranges from 0.5 to 500 cSt, measured in accordance with standard ASTM D-445.

14. (Original) The cosmetic product according to Claim 13, wherein the at least one liquid silicone compound ranges from 1 to 10 cSt, measured in accordance with standard ASTM D-445.

15. (Original) The cosmetic product according to Claim 12, wherein the ratio of the at least one high molecular weight silicone polymer to the at least one liquid silicone compound in the mixture ranges from 10/90 to 20/80.

16. (Original) The cosmetic product according to Claim 12, wherein the viscosity of the mixture of the at least one high molecular weight polymer of formula (IV) and of the at least one liquid silicone compound ranges from 1,000 to 10,000 cSt, measured in accordance with standard ASTM D-445.

17. (Currently Amended) The cosmetic product according to Claim [[7]]1, wherein the at least one high molecular weight polymer is a dimethicone of formula (IV) wherein R_1 to R_6 and X are all methyl groups.

18. (Original) The cosmetic product according to Claim 15, wherein the at

least one high molecular weight polymer is chosen from polydimethylsiloxanes with a weight-average molecular weight ranging from 200,000 g/mol to 300,000 g/mol.

19. (Original) The cosmetic product according to Claim 18, wherein the at least one high molecular weight polymer is chosen from polydimethylsiloxanes with a weight-average molecular weight ranging from 240,000 g/mol to 260,000 g/mol.

20. (Cancelled)

21. (Original) The cosmetic product according to Claim 1, wherein the polymer particles of the first composition have an average size ranging from 5 to 800 nm.

22. (Original) The cosmetic product according to Claim 1, wherein the polymer particles of the first composition are insoluble in water-soluble alcohols.

23. (Original) The cosmetic product according to Claim 1, wherein the polymer particles of the first composition are chosen from at least one of polyurethanes, polyurethane-acrylics, polyureas, polyurea-polyurethanes, polyester-polyurethanes, polyether-polyurethanes, polyesters, polyester amides, fatty-chain polyesters, alkyds; acrylic and/or vinyl polymers and/or copolymers; acrylic-silicone copolymers; polyacrylamides; silicone polymers, and fluoro polymers.

24. (Original) The cosmetic product according to Claim 1, wherein the polymer particles of the first composition are capable of forming a film.

25. (Original) The cosmetic product according to Claim 1, wherein the polymer particles are present in the first composition in an amount ranging from 2 to 40% by dry weight of the particles, relative to the total weight of the first composition.

26. (Original) The cosmetic product according to Claim 25, wherein the polymer particles are present in the first composition in an amount ranging from 5 to 30%

by dry weight of the particles, relative to the total weight of the first composition.

27. (Original) The cosmetic product according to Claim 26, wherein the polymer particles are present in the first composition in an amount ranging from 8 to 20% by dry weight of the particles, relative to the total weight of the first composition.

28. (Original) The cosmetic product according to Claim 1, wherein the polymer particles of the first composition are surface-stabilized by a stabilizer.

29. (Original) The cosmetic product according to Claim 28, wherein the stabilizer is chosen from block polymers and graft block polymer, including at least one block resulting from the polymerization of a diene and at least one block of a vinyl polymer.

30. (Original) The cosmetic product according to Claim 29, wherein the stabilizer is a diblock polymer.

31. (Original) The cosmetic product according to Claim 1, wherein the liquid fatty phase of the first composition comprises at least one volatile oil.

32. (Original) The cosmetic product according to Claim 31, wherein the at least one volatile oil is present in the first composition in an amount ranging from 20 to 90% by weight, relative to the total weight of the first composition.

33. (Original) The cosmetic product according to Claim 32, wherein the at least one volatile oil is present in the first composition in an amount ranging from 30 to 80% by weight, relative to the total weight of the first composition.

34. (Original) The cosmetic product according to Claim 33, wherein the at least one volatile oil is present in the first composition in an amount ranging from 40 to 70% by weight, relative to the total weight of the first composition.

35. (Original) The cosmetic product according to Claim 31, wherein the at least one volatile oil is chosen from C₈-C₁₆ isoalkanes.

36. (Original) The cosmetic product according to Claim 35, wherein the at least one volatile oil is chosen from isododecane and isohexadecane.

37. (Original) The cosmetic product according to Claim 1, wherein the liquid fatty phase of the first composition is an apolar non-volatile liquid fatty phase.

38. (Original) The cosmetic product according to Claim 37, wherein the apolar non-volatile liquid phase comprises hydrogenated polyisobutene.

39. (Original) The cosmetic product according to Claim 1, wherein the first composition comprises a colloidal dispersion of colored particles.

40. (Original) The cosmetic product according to Claim 39, wherein the colored particles are chosen from at least one of pigments and nacles.

41. (Original) The cosmetic product according to Claim 39, wherein the colloidal dispersion is present in the first composition in an amount ranging from 0.5% to 60% by weight, relative to the total weight of the first composition.

42. (Original) The cosmetic product according to Claim 41, wherein the colloidal dispersion is present in the first composition in an amount ranging from 2% to 40% by weight, relative to the total weight of the first composition.

43. (Original) The cosmetic product according to Claim 42, wherein the colloidal dispersion is present in the first composition in an amount ranging from 2% to 30% by weight, relative to the total weight of the first composition.

44. (Original) The cosmetic product according to Claim 39, wherein the particles of the colloidal dispersion are stabilized with a dispersant.

45. (Original) The cosmetic product according to Claim 1, wherein the first composition further comprises at least one gelling agent which gels the liquid fatty phase and which is chosen from polymeric gelling agents.

46. (Original) The cosmetic product according to Claim 45, wherein the at least one gelling agent is present in the first composition in an amount ranging from 0.05% to 5% by weight, relative to the total weight of the first composition.

47. (Original) The cosmetic product according to Claim 46, wherein the at least one gelling agent is present in the first composition in an amount ranging from 0.1% to 3% by weight, relative to the total weight of the first composition.

48. (Original) The cosmetic product according to Claim 47, wherein the at least one gelling agent is present in the first composition in an amount ranging from 0.2% to 2% by weight, relative to the total weight of the first composition.

49. (Original) The cosmetic product according to Claim 45, wherein the at least one gelling agent is chosen from polycaprolactones.

50. (Original) The cosmetic product according to Claim 45, wherein the at least one gelling agent is chosen from amorphous block copolymers of styrene and of olefin.

51. (Original) The cosmetic product according to Claim 1, wherein the first composition comprises at least one linear hydrocarbon wax.

52. (Original) The cosmetic product according to Claim 51, wherein the at least one linear hydrocarbon wax is present in the first composition in an amount ranging from 2% to 30% by weight, relative to the total weight of the first composition.

53. (Original) The cosmetic product according to Claim 52, wherein the at

least one linear hydrocarbon wax is present in the first composition in an amount ranging from 5% to 20% by weight, relative to the total weight of the first composition.

54. (Original) The cosmetic product according to Claim 53, wherein the at least one linear hydrocarbon wax is present in the first composition in an amount ranging from 5% to 15% by weight, relative to the total weight of the first composition.

55. (Original) The cosmetic product according to Claim 1, wherein at least one of the at least two compositions is in anhydrous form.

56. (Original) The cosmetic product according to Claim 1, wherein it is in a form chosen from a foundation, a blusher, an eyeshadow, a lipstick, a product having care properties, an eyeliner, a concealer, and a body makeup product.


57. (Original) The cosmetic product according to Claim 56, wherein it is in the form of a lipstick.

58. (Original) The cosmetic product according to Claim 1, wherein at least one of the at least two compositions is in solid form.

59. (Currently Amended) A method of making up the skin and/or lips and/or epidermal derivatives, comprising

applying to the skin, lips and/or epidermal derivatives a first coat of a first composition comprising a liquid fatty phase and polymer particles dispersed in the liquid fatty phase, and then applying over all or part of the first coat, a second coat of a second composition comprising at least one high molecular weight polymer having a weight-average molecular mass of greater than or equal to 200,000 g/mol,

wherein the at least one high molecular weight polymer is chosen from silicone polymers of formula (IV):



(IV)

wherein:

R₁, R₂, R₃, R₄, R₅ and R₆, which may be identical or different, are each chosen from alkyl radicals having from 1 to 6 carbon atoms,

X is chosen from alkyl radicals having from 1 to 6 carbon atoms, a hydroxyl radical, vinyl radicals, allyl radicals, and alkoxy radicals having from 1 to 6 carbon atoms,


n and p are chosen such that the at least one high molecular weight polymer has a weight-average molecular mass of greater than or equal to 200,000 g/mol.

60. (Currently Amended) A makeup kit comprising a cosmetic product comprising at least two compositions wherein,

- a first composition comprises a liquid fatty phase and polymer particles dispersed in the liquid fatty phase, and

- a second composition comprises at least one high molecular weight polymer having a weight-average molecular mass of greater than or equal to 200,000 g/mol,

wherein the at least one high molecular weight polymer is chosen from silicone polymers of formula (IV):



(IV)

wherein:

R₁, R₂, R₃, R₄, R₅ and R₆, which may be identical or different, are each chosen from alkyl radicals having from 1 to 6 carbon atoms,

X is chosen from alkyl radicals having from 1 to 6 carbon atoms, a hydroxyl radical, vinyl radicals, allyl radicals, and alkoxy radicals having from 1 to 6 carbon atoms,

n and p are chosen such that the at least one high molecular weight polymer has a weight-average molecular mass of greater than or equal to 200,000 g/mol.

61. (Original) The makeup kit according to Claim 60, wherein the at least two compositions are packaged in separate containers.

62. (Original) The makeup kit according to Claim 59, wherein the at least two compositions are packaged in discrete compartments of a single container.


63. (Currently Amended) A method for providing the skin and/or lips and/or epidermal derivatives with a makeup that exhibits at least one characteristic chosen from comfort, gloss, non-transfer properties, non-migration properties, and staying power, said method comprising:

mixing a first composition comprising a liquid fatty phase and polymer particles dispersed in the liquid fatty phase with

a second composition comprising at least one high molecular weight polymer having a weight-average molecular mass of greater than or equal to 200 000 g/mol,

to make a cosmetic makeup product and then
applying said cosmetic makeup product to the skin and/or lips and/or epidermal
derivatives,

wherein the at least one high molecular weight polymer is chosen from silicone
polymers of formula (IV):



(IV)

wherein:

R₁, R₂, R₃, R₄, R₅ and R₆, which may be identical or different, are each chosen from
alkyl radicals having from 1 to 6 carbon atoms,


X is chosen from alkyl radicals having from 1 to 6 carbon atoms, a hydroxyl radical,
vinyl radicals, allyl radicals, and alkoxy radicals having from 1 to 6 carbon atoms,

n and p are chosen such that the at least one high molecular weight polymer has a
weight-average molecular mass of greater than or equal to 200,000 g/mol.

64. (Currently Amended) A made-up substrate comprising a first coat of a
first composition comprising a fatty phase and polymer particles dispersed in the fatty
phase and a second coat of a second composition deposited over all or part of the first
coat and comprising a high molecular weight polymer having a weight-average molecular
mass of greater than or equal to 200 000 g/mol,

wherein the at least one high molecular weight polymer is chosen from silicone

polymers of formula (IV):



(IV)

wherein:

R₁, R₂, R₃, R₄, R₅ and R₆, which may be identical or different, are each chosen from alkyl radicals having from 1 to 6 carbon atoms,

X is chosen from alkyl radicals having from 1 to 6 carbon atoms, a hydroxyl radical, vinyl radicals, allyl radicals, and alkoxy radicals having from 1 to 6 carbon atoms,

n and p are chosen such that the at least one high molecular weight polymer has a weight-average molecular mass of greater than or equal to 200,000 g/mol.